

New Céliane™ programme


a pleasure to look at and use



SOLUTIONS FOR HOMES AND LIVING AREAS

♡ powering pleasures of life

 **legrand**®



First, imagination and the creative idea, and then the precision of computer design.


**We have created it
for you**
**A supreme combination
of shape and function**

To create Céliane, we have combined two perfect shapes: the rectangle and the circle. In a highly graphical design that makes no concession, totally functional and useful.

To it we have added the emotion of the senses - sight and touch - through an innovative palette of materials and colours and an extensive range of functions for comfort, communication and safety. Everything for more well-being in the home...



Titanium glass



Camel leather



Maple wood

Pleasing to the eye Expressive and innovative materials and colours

Frosted, satin-finish and glazed plastics...
brushed, polished and anodised metal... various species of wood...
glass, ceramic and even leather: the Céliane collections finally bring
a welcome range of colours and materials into the world of
electricity and multimedia. Céliane brings back charm to your decor
with a new aesthetic emotion.



Silent switch | Kaolin glass



Flush with the surface
Touch-control switch | Nickel Velvet



Pleasure rediscovered
Lever switch | Mahogany



Contactless sensations
Sensitive switch | Camel leather



An ambience for every moment
Dimmer switch with LEDs | Porcelain



Precise action
Switch | Corian® Nocturne



The pleasure of silence
Silent switch | Maple

Artistry and style Controlling lighting differently

Forget the conventional functionality of the switch - on/off - and discover a new pleasurable action for switching your lights on and off and controlling their brightness. Rock, skim, press ... choose your action and control your lighting in your own way.



The pleasure of receiving with control of the welcome lighting, blinds, etc.
Video door entry system | Kaolin glass



Have control for the whole house; heating, lighting, blinds
Scenario controller | Kaolin glass



Have control in one room; lights and blinds for example
Scenario switches | Kaolin glass

 **Comfort
and communication
by hand and eye**

Legrand has developed this system to bring new electrical solutions to comfort, safety and communication in living areas. Forget the switch with its conventional functions. Instead imagine real precision instruments that will enable you to control, check, adjust and programme all the electricity and multimedia in the house: your life becomes simple, and you enter the world of pleasure.



Essential shades at a single price. Select the shade throughout the house

Neutrals Universal shades

The family of Neutrals, available in Brilliant White plastic and Satin-finish Sand, Taupe, Cement and Khaki plastic. It is a collection, designed to go harmoniously throughout the house.



The pleasure of silence
Silent switch | White



TV socket | Khaki



Let yourself be guided
Pushbutton with indicator | Taupe



Multimedia in your home
Multimedia socket | Cement

Switch
Sand finish



Switch | Titanium

Another possibility for consistency throughout the house: Titanium (see Anodised units on page 15).



The whole colourful world of children's dreams

Glazed units Flashy sparkle

Smooth, glossy and acid like sweets, the Glazed units decorate your walls with the joyous sparkle of their colours: Cyan, Magenta, Bamboo, Mandarin and Ice. They fit quite naturally into the world of the child's room, but also everywhere you wish to brighten up your decor.



For easier access, at a good height
Switch + flush-mounted socket | Cyan



Pleasure rediscovered
Lever switch | Ice



Flush with the surface
Touch-control switch | Magenta



Multimedia socket + 2P+E socket | Bamboo

Clothe the inside of your house
Dimmer switch with LEDs
+ roller blind control
Mandarin finish



Céliane's Frosted units love trends.

Frosted units

The sensuality of satin finish

A collection of pastels, all of them softness itself: Anise, Mirabelle, Lavender, Grapefruit and Coconut for so many small touches of emotion. With a matt surface, soft on the hand and eye, very trendy in the bathroom and even, why not, in the bedroom.



Flush with the surface
Touch-control switch | Mirabelle



Go past without worrying
Automatic switch | Lavender



Pleasure in all simplicity
Switch | Coconut



A radio in the design of your switches
Tuner + 2P+E socket | Grapefruit



Contactless sensations
Sensitive switch
Anise finish



Anodised units Clear, reliable value

Anodised units, more than high-tech software.
As for all Céliane finishes, these are also functions for which we have totally rethought the method of use. They are well integrated, highly intuitive and self-evident with display of the state of the lighting, heating, etc.



Pleasure in welcoming
Audio door entry system | Mica



Control lights, blinds, heating, etc.
Scenario switch | Aluminium



An ambience for every moment
Dimmer switch with LEDs | Copper



Double switch with indicator | Titanium



Heat to within a degree or so
Heating selector switch | Graphite

Switch
with illuminated ring
Cobalt finish

Leather and wood Also on your walls

The leather of your sofa and armchairs and the wood of your furniture, the traditional materials of your home furnishings, are today invited onto your walls with Céliane. Create new harmonies: make use of its two shades of leather, Camel and Wine, and its three wood finishes, Maple, Mahogany and Wenge*.



Control all your blinds with a single action
Centralised control | Camel leather



Make it easier to move around at night
Automatic pilot light switch | Wenge coloured*



Control lights, blinds, heating, etc.
Scenario switch | Wine-coloured leather



Ideal multimedia distribution assembly.
2 x 2P+E sockets + double multimedia socket | Maple

Pleasure rediscovered
Lever switch
Mahogany finish



Revitalise your walls with touches of natural materials.

*Wenge coloured ash

Porcelain and glass

Return to origins

Real materials, minerals; who remembers that they covered switches and sockets in the early days of electricity? Timeless, today they are modernity *par excellence* and Céline quite naturally appropriates them in three finishes, Kaolin glass, Titanium glass and Porcelain. Furthermore, Legrand asked Bernardaud, a world standard in porcelain design, to produce this model which brings out all the sensuality and delicacy of the material.



Flush with the surface
Touch-control switch | Porcelain



The pleasure of receiving with control of the welcome lighting
Video door entry system | Kaolin glass

Touch-control
dimmer switch
Titanium glass finish



Corian®

A lifetime of pleasure

Decorators have discovered this synthetic material created by DuPont de Nemours and its hard-wearing beauty can be found throughout the home. Today, with Céliane, it also fits quite naturally on your walls... In Antarctica, Nocturne, Pompeii Red, and for a long time.



Roller blind control
+ 2 lever switches
Pompeii Red finish



Triple 2P+E sockets | Corian® Nocturne



Nothing else to adjust, it is programmed
Programmable heating selector switch | Antarctica

Metal

Like a sculpture

Pick up a device in your hand and feel the weight and density of its material: it is cast metal, solid like a sculptured object.

This is Metal Céliane.

Beautiful and sensual in plain Brushed Stainless Steel or Nickel Velvet.

Superb and astoundingly decorative in Oxidised Iron and Oxidised Copper finishes.



Display the inside of your home to advantage
Lighting scenario controller | Brushed stainless steel



Home cinema or Hi-Fi assembly
Loudspeaker socket + 2P+E socket | Oxidised iron

Push switch
Nickel Velvet finish

With the kind permission of Établissements Cabasse



Combining metal's stylish precision and aesthetic power with high-tech.



Scenario controller | Porcelain

Control with visibility

Control the operation of roller blinds, dimming of lights, lighting scenario creation and other electrical systems with absolute certainty. Icons and LEDs on the functions act as small instrument panels which confirm the state of each function for you.

With a glance, you can check your installation.



Control lights, blinds, heating, etc.
Scenario switch | Coconut



Control all your blinds with a single action
Centralised roller blind control | Magenta



View the light level
Dimmer switch with LEDs | Cobalt



A screen for extremely simple control

From the moment you enter, control the lights, heating, alarm and blinds of the whole house on a single screen.



Display the inside of your home to advantage
Lighting scenario controller | Wine-coloured leather



Programmable heating selector switch | Wenge coloured*

Control energy

Programme your heat to within a degree or so, room by room, hour by hour, per day or per week. Gain comfort and energy savings with efficient and innovative management systems, well-integrated into Céliane's design. For new and even refurbishment work, for gas, oil and electric heating.



Set only the temperature.
Room thermostat | Anise



Nothing else to adjust, it is programmed
Programmable heating selector switch | Wine-coloured leather



Keep control over the time and the degrees
Heating selector switch
Wenge coloured finish*

*Wenge coloured ash



Multimedia socket | Brushed stainless steel

Communicate everywhere in your home

With In One by Legrand systems, your walls have eyes and ears. Wi-Fi sockets give you wireless surfing on the Net everywhere in your home. Incorporate stereo sound distribution into every room using the tuner and loudspeakers. Connect your Hi-Fi or home cinema speakers where you want using the loudspeaker sockets. These functions are incorporated in the Céliane design and are available in all its finishes.



Connect home cinema or Hi-Fi system
Loudspeaker socket | Graphite



Wireless Internet from the lounge to the terrace
Wi-Fi access point | Titanium



Identify the media (TV, Internet, telephone)
Identifiable multimedia socket | Porcelain

Sound distribution



Use independently in every room
Local sound distribution control with screen
Mirabelle finish



Listen in every room
Loudspeaker | Maple



Video door entry system | Kaolin glass

Security for you and your home

The Legrand system also watches over your security: with its audio or video door entry systems, you no longer open your door to just anybody, and for example trigger a customised lighting scenario for welcoming your visitors.

Regain peace of mind, security is in your walls, in the Céliane look.



Pleasure in welcoming
Audio door entry system | Oxidised iron



An installation always ready for the future.

The power to upgrade

Change, add. Decors, functions... At will



Look at these switches.
They control the lighting, heating and roller blinds, throughout the whole house.
With radio technology, their commands are transmitted without wires. You can therefore upgrade your installation at will, without damaging walls or carrying out major work since there are no longer any wires to run.



Control lights, blinds, heating, etc.
Radio scenario switch | Taupe



Control all the blinds with a single action
Radio roller blind control | Kaolin glass




Add another lighting point
Radio switch | Brushed stainless steel



Programme and regulate the temperature
Radio programmable thermostat | Ice

Upgrading without wires
Radio switch
Lavender finish

A pleasure to choose, so many finishes



A pleasure to choose, so many functions*



Switch



Double switch



Double switch with indicator



Silent switch



Lever switch



Touch-control switch



Push switch



Sensitive switch



Dimmer switch



Dimmer switch with LEDs



Automatic switch



Automatic pilot light switch



Roller blind control



Thermostat



Programmable heating selector switch



Chime



Radio programmable thermostat



1000 W dimmer



Scenario switch



Multimedia socket



Double multimedia socket



Identifiable multimedia socket



TV socket



TV-RD-SAT socket



Triple prewired 2P+E socket



Triple switch



Centralised vacuum cleaning system socket



Loudspeaker socket



Video door entry system



Scenario controller



Alarm siren, dimensions: 10.5 x 10.5 cm



Audio door entry system



Wi-Fi access point

All Céliane functions from page 50

Environmentally-friendly products
The life cycles of Céliane Programme solutions have been analysed in order to reduce their environmental impact from manufacturing right through to end-of-life treatment. The results of these analyses are given in the PEPs (Product Environmental Profiles). This symbol will help you identify the products that actively contribute towards optimising energy use.

*All the functions are shown in Titanium finish.



New Batibox rigid box

Available for dry walls, masonry, concrete or even (an innovation) multimaterials in depths of 40 or 500 mm, ideal for implementing electronic functions (request the Batibox document).

New Batibox universal support

Available with screws for new work or clips for refurbishment. Also allows mounting of the new Mosaic programme. All supports are supplied with "site protection" to protect the mechanism from all possible hazards (plaster, paint, cutter blows, etc.).

Céliane mechanism

Fitted with automatic terminals over almost the entire programme.

Céliane plate

36 finishes allow infinite combinations with the cover plates.




Like normal But better

Installing Céliane is just like normal, but much simpler, and much faster.

Because Céliane components have been rationalised, there are fewer catalogue numbers to deal with, and only 2 cover plate finishes.

For the new Batibox programme and its universal support, the wiring of the Céliane boxes and mechanisms is simplified, and therefore optimised.




Single switch | Mahogany
Cat. No. 802 51 + 670 01 + 692 21 + 683 01
(See selection chart on page 56)

Vertical, horizontal, same catalogue numbers

With the new Batibox programme boxes and the universal support, installing Céliane becomes simpler whatever the nature of the wall.



Multimaterial, suits any type of wall






Dry wall with wide retractable clamps





Masonry with protected screws

Dry wall





Vertical or horizontal

Multi-material



Vertical or horizontal

Masonry



Vertical or horizontal

*Ideal for installing electronic functions


Universal support

Removable spacer for installing thermostat, alarm and similar functions with special plates



Double plates

Double plate for horizontal/vertical reversible installation. Also available in triple and quadruple versions



Double special plate for installing thermostat and similar functions. Horizontal/vertical reversible. Also available in triple version (for quadruple prewired sockets)


Converting into double functions

With Céliane, installation and dealing with catalogue numbers for multiple positions of two-way and pushbutton switches and multimedia sockets become a pleasure. Fewer catalogue numbers to deal with and simple actions to know.




2 vertical positions with double switch with automatic terminals + scenario switch


Make a double lighting function, two-way and pushbutton, a double RJ, etc.



Remove the side fins from the mechanisms simply by pressing along the pre-cut



Join the 2 mechanisms and form a double function



Two functions on one 1-position plate



Up to 3 lighting points on the same plate (two-way, pushbutton)



All combinations are possible with a minimum number of catalogue numbers.

Céliane™ programme

mechanisms and cover plates

MECHANISMS			ROCKER PLATES OR COVER PLATES					
			Cat. No.	Pack		White 	Titanium 	Pack
LIGHTING AND DIMMING								
Two-way switch, 10 AX	670 01	10			680 01	683 01	10	
Two-way switch, 10 AX with indicator ⁽¹⁾	670 01	10			680 03	683 03	10	
Two-way switch with illuminated ring Independent monitor or indicator function	670 01	10			680 01 + 676 69	683 01 + 676 69	10	
Two-way switch with lever - 6 AX	670 16	10			680 16	683 16	10	
Two-way switch, "push" type - 6 AX	670 15	10			680 15	683 15	10	
Silent two-way switch - 6 AX	670 13	10			680 17	683 17	10	
Monitor two-way switch without neutral	670 07	1			680 03	683 03	10	
Intermediate switch	670 06	10			680 06	683 06	10	
Touch control two-way switch with neutral - 1000 W	670 42	1			680 41	683 41	1	
Touch control switch without neutral - 400 W	670 41	1						
Sensitive switch with neutral - 1000 W	670 49*	1			680 49	683 49	1	
Transmitter/receiver single switch, PLC/IR - 2500 W		672 01	1			680 71	683 71	10
Transmitter/receiver single switch, PLC/IR with status indicator - 2500 W		672 03	1			680 73	683 73	10
Transmitter/receiver double switch, PLC/IR - 2 x 1000 W		672 02	1			680 72	683 72	10
Transmitter/receiver double switch, PLC/IR with status indicator - 2 x 1000 W		672 04	1			680 74	683 74	10
Single switch, radio 300 W		672 30	1			680 71	683 71	10
PLC/IR receiver switch-socket - 2500 W		672 20	1	 + 		680 70 + 681 11	683 70 + 684 11	1

(1) Becomes illuminated or monitor with indicators (p. 59)

Céliane™ programme




mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES			
	Cat. No.	Pack				
LIGHTING AND DIMMING (continued)						
Two-way pushbutton, NO + NC, 6 A	670 31	10		680 01	683 01	10
Two-way pushbutton, NO + NC, 6 A with indicator	670 31	10		680 03	683 03	10
Two-way pushbutton, NO + NC, 6 A with lever	670 36	10		680 16	683 16	10
Two-way pushbutton, NO + NC, 6 A "push type"	670 35	10		680 15	683 15	10
Silent two-way pushbutton, NO + NC, 6 A	670 33	10		680 17	683 17	10
Silent remote control switch - 2000 W	670 61	1		680 03	683 03	10
Two-way switch + two-way pushbutton	670 01 + 670 31	10		680 02	683 02	10
Two-way pushbutton, NO + NC, 6 A with indicator ⁽¹⁾	670 31	10		680 03	683 03	10
PLC/IR lighting scenario switch 2 scenarios max.	672 08	1		680 71 or 680 72	683 71 or 683 72	10
PLC lighting environment controller with screen	672 09*	1		682 42	685 42	1
Radio lighting scenario switch 2 scenarios max.	672 38	1		680 71 or 680 72	683 71 or 683 72	10
PLC/IR scenario switch 4 scenarios	672 80	1		680 90	683 90	10
Radio scenario switch 4 scenarios	672 90	1				
PLC scenario controller with touch screen	672 84*	1		680 92	683 92	1
Automatic switch without neutral with override, 300 W	670 91	1		680 35	683 35	10
Automatic switch with neutral with override, 1000 W	670 92	1				
Automatic pilot light switch	670 93	1		680 51	683 51	1
Transmitter/receiver automatic switch, PLC - 1000 W	672 15	1		680 35	683 35	10

(1) Becomes illuminated with indicators (p. 59)

Céliane™ programme

mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES			
	Cat. No.	Pack		White 	Titanium 	Pack
LIGHTING AND DIMMING (continued)						
Dimmer switch, 300 W	670 81	1		680 31	683 31	10
Dimmer switch, 400 W all loads	670 84	1				
Dimmer switch, 600 W	670 82	1				
PLC/IR receiver dimmer switch-socket 	672 22	1		680 70 + 681 11	683 70 + 684 11	1
Touch control dimmer	670 43	1		680 43	683 43	1
Dimmer, 1000 W	670 86	1		680 33	683 33	1
Transmitter/receiver dimmer, PLC/IR 300 W 	672 10	1		680 75	683 75	10
PLC/IR transmitter/receiver dimmer with status indicator, 300 W 	672 12	1		680 76	683 76	10
PLC/IR transmitter/receiver dimmer with status indicator, 600 W 	672 14	1				
Radio transmitter/receiver dimmer with status indicator, 600 W 	672 32	1				
Double two-way switch	2 x 670 01	10		680 02	683 02	10
Double two-way switch with indicator light ⁽¹⁾	2 x 670 01	10		680 04	683 04	10
Two-way switch with 5 compact controls	5 x 670 01	10		680 11	683 11	1
Double pushbutton	2 x 670 31	10		680 02	683 02	10
Double pushbutton with indicator light ⁽²⁾	2 x 670 31	10		680 04	683 04	10
Pushbutton with 5 compact controls	5 x 670 31	10		680 11	683 11	1

(1) Becomes illuminated or monitor with indicators (p. 59)

(2) Becomes illuminated with indicators (p. 59)

Céliane™ programme

mechanisms and cover plates (continued)




MECHANISMS			ROCKER PLATES OR COVER PLATES			
				 White	 Titanium	
	Cat. No.	Pack				Pack
LIGHTING AND DIMMING (continued)						
Timer switch without neutral, 1000 W	670 51	10		680 37	683 37	10
Programmable time switch	670 53	1		680 38	683 38	1
2-pole switch, 20 AX	670 21	10		680 21	683 21	10
2-pole switch, 20 AX with indicator ⁽¹⁾	670 21	10		680 23	683 23	10
Pull-cord two-way switch, 6 AX	670 08	1		680 08	683 08	10
Pull-cord pushbutton, 6 A	670 38	1				
2-position keyswitch ⁽²⁾	670 09	1		680 09	683 09	1
Card-operated switch	675 63	5		682 09	685 09	1
Emergency lighting keyswitch	675 31	1		681 99	684 99	1
ROLLER BLINDS/AWNINGS/SKYLIGHTS						
Switch	676 01	10		681 51	684 51	10
Touch control	670 45	1		680 45	683 45	1
Pushbutton	676 02	10		681 51	684 51	10
3-position key-operated pushbutton	670 39	1		681 57	684 57	1
Daily programmable control	676 21	1		681 59	684 59	1
Relay for grouped blind controls (to be used in conjunction with Cat. No. 67621)	676 22	1		without cover plate		
Control for skylight	676 04	10		681 51	684 51	10

(1) Becomes illuminated or monitor with indicators (p. 59)

(2) Becomes illuminated with indicators (p. 59)




Céliane™ programme

mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES						
			Cat. No.	Pack		White 	Titanium 	Pack	
ROLLER BLINDS/AWNINGS/SKYLIGHTS (continued)									
Radio/RTS individual switch 	672 69	1		681 79	684 79	1			
PLC/IR individual blind switch 	672 51	1							
PLC/IR individual blind switch with programmable opening levels and slat orientation 	672 56	1		681 61	684 61	10			
PLC/IR individual switch with wind/sun override 	672 55	1		681 65	684 65	1			
PLC/IR centralised switch with activation indicator 	672 53	1		681 63	684 63	10			
Radio individual switch 	672 61	1		681 61	684 61	10			
Radio centralised switch with activation indicator 	672 62	1		681 63	684 63	10			
PLC/IR scenario switch 4 scenarios 	672 80	1							
Radio scenario switch 4 scenarios 	672 90	1		680 90	683 90	10			
PLC scenario controller with touch screen 	672 84*	1		680 92	683 92	1			
HEATING REGULATION									
Room thermostat	674 00	1		682 40	685 40	1			
Programmable room thermostat	674 02	1		682 42	685 42	1			
Sensor for thermostat	674 08	1		682 43	685 43	1			
Pilot wire thermostat	674 10	1		682 45	685 45	1			
2-command programmable time switch (1 zone)	670 53	1		680 38	683 38	1			
6-command pilot wire programmer (2 zones + 1)	674 12	1		682 42	685 42	1			
Pilot wire selector switch works with energy controller Cat. No. 038 18	674 13	1		682 47	685 47	1			




Céliane™ programme

mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES					
			Cat. No.	Pack		White 	Titanium 	Pack
HEATING REGULATION (continued)								
Pilot wire programmable cable outlet		674 18	1		without cover plate			
PLC room thermostat		674 40	1		682 45	685 45	1	
PLC programmable room thermostat		674 42	1		682 42	685 42	1	
PLC transmitter/receiver selector switch works with energy controller Cat. No. 038 09		674 48	1		682 47	685 47	1	
PLC transmitter/receiver Programmable selector switch works with energy controller Cat. No. 038 09		674 49	1		682 42	685 42	1	
PLC receiver cable outlet Pilot wire transmitter		674 45	1		without cover plate			
Radio programmable thermostat		674 52	1		682 42	685 42	1	
PLC/IR scenario switch 4 scenarios		672 80	1		680 90	683 90	10	
Radio scenario switch 4 scenarios		672 90	1					
CABLE OUTLETS/BLANKING PLATE								
Cable outlet		671 81	10		681 41	684 41	10	
Cable outlet equipped with connection terminals		671 83	10					
Blanking plate								681 43
MAINS VOLTAGE SOCKETS								
2P socket		671 10	10		681 11	684 11	10	
2P+E socket, auto terminals		671 11	10					
2P+E socket, screw terminals		671 13	10					
2P+E socket with locating device					671 14 mechanism supplied with cover plate	671 14 mechanism supplied with cover plate	10	
Identifiable 2P+E socket with indicator		671 11	10		681 13	684 13	10	


Céliane™ programme

mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES					
			Cat. No.	Pack		White 	Titanium 	Pack
MAINS VOLTAGE SOCKETS (continued)								
Flush-mounted socket						671 31 mechanism supplied with cover plate	671 32 mechanism supplied with cover plate	10
2 x 2P+E prewired socket		671 22	10			2 x 681 11	2 x 684 11	10
3 x 2P+E prewired socket		671 23	5			3 x 681 11	3 x 684 11	10
4 x 2P+E compact prewired socket		671 25	5			681 25	684 25	5
PLC/IR receiver switch-socket		672 20	1			680 70	683 70	1
PLC/IR receiver dimmer switch-socket		672 22	1		+ 	+ 681 11	+ 684 11	10
VOLTAGE SURGE PROTECTOR								
Voltage surge protector		671 93	1			681 47	684 47	1
Replacement cartridge for voltage surge protector		676 93	1			without cover plate		
TELEPHONE AND DATA SOCKETS								
8-pin telephone socket		673 38	10			682 38	685 38	10
Telephone socket for mixed network and basic network, RJ 45 FTP Cat. 5		673 37	10			682 37	685 37	10
RJ 45 telephone + single TV socket		673 37 + 673 82	10			682 39	685 39	10
802-11 bg Wi-Fi access point 220 V power supply						673 64 mechanism supplied with cover plate	673 65 mechanism supplied with cover plate	1
802 11 a + bg Wi-Fi access point Power over Ethernet supply		673 66	1			682 58	685 58	1
RJ 45 socket - UTP Cat. 6		673 50	10					
RJ 45 socket - FTP Cat. 6		673 53	10			682 51	685 51	10
RJ 45 socket - SFTP with shielding Cat. 6		673 56	10					


Céliane™ programme

mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES			
						
	Cat. No.	Pack		White 	Titanium 	Pack
TELEPHONE AND DATA SOCKETS (continued)						
Double socket, RJ 45 - UTP Cat. 6	2 x 673 50	10				
Double socket, RJ 45 - FTP Cat. 6	2 x 673 53	10		682 52	685 52	10
Double socket, RJ 45 - SFTP Cat. 6 with Cat. 6 shielding	2 x 673 56	10				
Copper switch - 6 RJ 45 ports	673 61	1		682 54	685 54	1
MULTIMEDIA SOCKETS (telephone + TV + Internet)						
Single socket for optimum network, RJ 45 - SFTP Cat. 6 with media identification	673 91	10		682 91	685 91	10
Triple socket for optimum network, RJ 45 - SFTP Cat. 6	673 90	10		682 90	685 90	10
TV SOCKETS						
TV-R-SAT socket	673 88	10				
2-cable TV-R-SAT socket	673 89	10		682 85	685 85	10
TV-R socket	673 83	10				
Transit TV-R socket	673 84	10		682 83	685 83	10
Terminal TV-R socket	673 85	10				
Male single TV socket	673 82	10				
Type "F" screw-in TV socket	673 80	10		682 82	685 82	10
Single socket for wired networks type "F" screw-in	673 98	10				
Double socket for wired networks type "F" screw-in	673 99	10		682 87	685 87	10


Céliane™ programme

mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES			
						
	Cat. No.	Pack		 White	 Titanium	Pack
LOUDSPEAKER AND SOUND SYSTEM SOCKETS						
Single loudspeaker socket	673 11	10		682 11	685 11	10
Double loudspeaker socket	2 x 673 11	10		682 12	685 12	10
Triple audio/RCA video/RCA loudspeaker socket	673 13	10		682 13	685 13	10
Triple audio/RCA video/S-video loudspeaker socket	673 14	10				
SOUND DISTRIBUTION						
One zone						
Tuner (input amplifier)	673 20	1		682 20	685 20	1
Power supply for tuner + loudspeaker	673 21	1		682 29	685 29	1
Power supply in false ceiling for tuner	673 22	1		without cover plate		
Multizone						
Source input + power supply	673 24	1		682 21	685 21	1
Local control with display	673 23	1		682 23	685 23	1
Tuner extension - Baby monitor-intercom	673 25	1		682 25	685 25	1
Loudspeakers						
Céliane flush-mounting loudspeaker - Ø2"	673 28	1		682 28	685 28	1
Standard flush-mounting loudspeaker - Ø6.5"	673 29	1		without cover plate		
Spot loudspeaker - Ø2"	673 27	1				
Non-visible loudspeaker	673 30	1				


Céliane™ programme

mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES					
			Cat. No.	Pack		White 	Titanium 	Pack
SHAVER SOCKET								
Shaver socket	671 59	1			681 35	684 35	1	
PILOT LIGHTS								
Indicator light					676 51 mechanism supplied with cover plate	676 51 mechanism supplied with cover plate	1	
Self-contained pilot light					676 53 mechanismsupplied with cover plate	676 53 mechanismsupplied with cover plate	1	
Automatic pilot light switch	670 93	1			680 51	683 51	1	
CENTRALISED VENTILATION AND VACUUM CLEANING								
Ventilation control	670 01	10			680 61	683 61	10	
Switch for lighting + delayed ventilation	674 23	1			680 63	683 63	1	
Ventilation switch	674 51	1			682 70	685 70	1	
Centralised vacuum cleaning system socket with no contact					674 30 mechanism and its support supplied with cover plate	674 31 mechanism and its support supplied with cover plate	1	
Centralised vacuum cleaning system socket with electrical contact					674 32 mechanism and its support supplied with cover plate	674 33 mechanism and its support supplied with cover plate	1	
Connection kit for centralised vacuum cleaning system socket	674 39	1			without cover plate			
ACCESS CONTROL								
Room chime with visual indicators, 230 V	675 41	1			682 01	685 01	1	
Room chime with visual indicators, 8-12 V	675 42	1						

Céliane™ programme

mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES					
			Cat. No.	Pack		White 	Titanium 	Pack
ENTRY SYSTEMS								
Video house door entry kit (supplied with Titanium cover plate)		633 21	1				supplied with the mechanism	1
Video additional internal panel		675 45	1		682 05		685 05	1
Audio house door entry kit (supplied with Titanium cover plate)		633 01	1				supplied with the mechanism	1
Audio additional internal panel		675 47	1		682 07		685 07	1
INTRUDER ALARMS/TECHNICAL DETECTION								
Radio central alarm unit with built-in telephone transmitter		432 14	1		without cover plate			
Radio intrusion detector		431 28	1					
Radio alarm keypad		675 01	1		681 81		684 81	1
Radio indoor siren		675 09	1		681 89		684 89	1
Radio smoke detector		882 16	1		without cover plate			
Radio gas detector		882 17	1					
Radio opening, water leak and temperature sensor		882 18	1					

Céliane™ programme

mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES			
				White 	Titanium 	Pack
SURFACE-MOUNTING BOXES						
1-gang				802 41	802 44	2
2-gang, horizontal/vertical				802 42	802 45	1
LAMPS AND ACCESSORIES						
230 V indicator lights	676 66	10				
12/24/48 V indicator lights	676 67	10				
230 V monitor lights	676 68	10				
230 V independent lights with terminals for monitor or indicator. Supplied with illuminated ring	676 69	10				
12/24 V independent lights with terminals for monitor or indicator. Supplied with illuminated ring	676 61	10				
24/48 V independent lights with terminals for monitor or indicator. Supplied with illuminated ring	676 62	10				
Indicator light for power sockets and 2-pole switches	676 64	10				
Label-holder for identification	676 60	10				
Barrel for key-operated unit - European 1/2 cylinder lock	697 95	1				

Céliane™ programme

universal supports and plates

Plates and supports: Horizontal or vertical mounting	1-gang		2-gang 71 mm spacing		3-gang 71 mm spacing		4-gang 71 mm spacing		Special for refurbishment	
	2-gang 57 mm spacing		3-gang 57 mm spacing							
NEUTRAL										
White		686 31 + 802 51	686 32 + 802 52	686 33 + 802 53	686 34 + 802 54	686 38 + 2 x 802 51	686 39 + 3 x 802 51			
Sand		687 51 + 802 51	687 52 + 802 52	687 53 + 802 53	687 54 + 802 54	687 58 + 2 x 802 51	687 59 + 3 x 802 51			
Taupe		687 31 + 802 51	687 32 + 802 52	687 33 + 802 53	687 34 + 802 54	687 38 + 2 x 802 51	687 39 + 3 x 802 51			
Cement		687 41 + 802 51	687 42 + 802 52	687 43 + 802 53	687 44 + 802 54	687 48 + 2 x 802 51	687 49 + 3 x 802 51			
Khaki		686 41 + 802 51	686 42 + 802 52	686 43 + 802 53	686 44 + 802 54	686 48 + 2 x 802 51	686 49 + 3 x 802 51			
FROSTED										
Coconut		688 91 + 802 51	688 92 + 802 52	688 93 + 802 53	688 94 + 802 54	688 98 + 2 x 802 51	688 99 + 3 x 802 51			
Mirabelle		688 51 + 802 51	688 52 + 802 52	688 53 + 802 53	688 54 + 802 54	688 58 + 2 x 802 51	688 59 + 3 x 802 51			
Grapefruit		688 61 + 802 51	688 62 + 802 52	688 63 + 802 53	688 64 + 802 54	688 68 + 2 x 802 51	688 69 + 3 x 802 51			
Lavender		688 81 + 802 51	688 82 + 802 52	688 83 + 802 53	688 84 + 802 54	688 88 + 2 x 802 51	688 89 + 3 x 802 51			
Anise		688 71 + 802 51	688 72 + 802 52	688 73 + 802 53	688 74 + 802 54	688 78 + 2 x 802 51	688 79 + 3 x 802 51			
GLAZED										
Ice		688 01 + 802 51	688 02 + 802 52	688 03 + 802 53	688 04 + 802 54	688 08 + 2 x 802 51	688 09 + 3 x 802 51			
Mandarin		688 41 + 802 51	688 42 + 802 52	688 43 + 802 53	688 44 + 802 54	688 48 + 2 x 802 51	688 49 + 3 x 802 51			
Magenta		688 11 + 802 51	688 12 + 802 52	688 13 + 802 53	688 14 + 802 54	688 18 + 2 x 802 51	688 19 + 3 x 802 51			
Cyan		688 31 + 802 51	688 32 + 802 52	688 33 + 802 53	688 34 + 802 54	688 38 + 2 x 802 51	688 39 + 3 x 802 51			
Bamboo		688 21 + 802 51	688 22 + 802 52	688 23 + 802 53	688 24 + 802 54	688 28 + 2 x 802 51	688 29 + 3 x 802 51			
ANODISED										
Aluminium		689 21 + 802 51	689 22 + 802 52	689 23 + 802 53	689 24 + 802 54	689 28 + 2 x 802 51	689 29 + 3 x 802 51			
Titanium		689 01 + 802 51	689 02 + 802 52	689 03 + 802 53	689 04 + 802 54	689 08 + 2 x 802 51	689 09 + 3 x 802 51			
Mica		689 41 + 802 51	689 42 + 802 52	689 43 + 802 53	689 44 + 802 54	689 48 + 2 x 802 51	689 49 + 3 x 802 51			
Copper		689 11 + 802 51	689 12 + 802 52	689 13 + 802 53	689 14 + 802 54	689 18 + 2 x 802 51	689 19 + 3 x 802 51			
Cobalt		689 51 + 802 51	689 52 + 802 52	689 53 + 802 53	689 54 + 802 54	689 58 + 2 x 802 51	689 59 + 3 x 802 51			
Graphite		689 31 + 802 51	689 32 + 802 52	689 33 + 802 53	689 34 + 802 54	689 38 + 2 x 802 51	689 39 + 3 x 802 51			

Céliane™ programme

universal supports and plates (continued)

Plates and supports: Horizontal or vertical mounting					Special for refurbishment	
	1-gang	2-gang 71 mm spacing	3-gang 71 mm spacing	4-gang 71 mm spacing	2-gang 57 mm spacing	3-gang 57 mm spacing

MATERIALS

Brushed stainless steel		691 01 + 802 51	691 02 + 802 52	691 03 + 802 53	691 04 + 802 54	691 08 + 2 x 802 51	691 09 + 3 x 802 51
Nickel Velvet		691 11 + 802 51	691 12 + 802 52	691 13 + 802 53	691 14 + 802 54	691 18 + 2 x 802 51	691 19 + 3 x 802 51
Oxidised copper		692 71 + 802 51	692 72 + 802 52	692 73 + 802 53	692 74 + 802 54	692 78 + 2 x 802 51	692 79 + 3 x 802 51
Oxidised iron		692 61 + 802 51	692 62 + 802 52	692 63 + 802 53	692 64 + 802 54	692 68 + 2 x 802 51	692 69 + 3 x 802 51
Corian® Antarctica ⁽²⁾		691 61 + 802 51	691 62 + 802 52	691 63 + 802 53	691 64 + 802 54	691 68 + 2 x 802 51	691 69 + 3 x 802 51
Corian® Nocturne ⁽²⁾		691 51 + 802 51	691 52 + 802 52	691 53 + 802 53	691 54 + 802 54	691 58 + 2 x 802 51	691 59 + 3 x 802 51
Corian® Pompeii Red ⁽²⁾		691 81 + 802 51	691 82 + 802 52	691 83 + 802 53	691 84 + 802 54	691 88 + 2 x 802 51	691 89 + 3 x 802 51
Maple		692 11 + 802 51	692 12 + 802 52	692 13 + 802 53	692 14 + 802 54	692 18 + 2 x 802 51	692 19 + 3 x 802 51
Mahogany		692 21 + 802 51	692 22 + 802 52	692 23 + 802 53	692 24 + 802 54	692 28 + 2 x 802 51	692 29 + 3 x 802 51
Wenge coloured ⁽¹⁾		692 01 + 802 51	692 02 + 802 52	692 03 + 802 53	692 04 + 802 54	692 08 + 2 x 802 51	692 09 + 3 x 802 51
Porcelain		693 21 + 802 51	693 22 + 802 52	693 23 + 802 53	693 24 + 802 54		
Kaolin glass		693 11 + 802 51	693 12 + 802 52	693 13 + 802 53	693 14 + 802 54		
Titanium glass		693 41 + 802 51	693 42 + 802 52	693 43 + 802 53	693 44 + 802 54		
Camel leather		692 81 + 802 51	692 82 + 802 52	692 83 + 802 53	692 84 + 802 54	692 88 + 2 x 802 51	692 89 + 3 x 802 51
Wine-coloured leather		692 91 + 802 51	692 92 + 802 52	692 93 + 802 53	692 94 + 802 54	692 98 + 2 x 802 51	692 99 + 3 x 802 51

(1) Wenge coloured ash

(2) Registered trade mark of DuPont de Nemours

Batibox™ programme

Extract from the Batibox document selection chart	Dry walls		Masonry		Multimaterials		Concrete
	Depth 40	Depth 50 ⁽¹⁾	Depth 40	Depth 50 ⁽¹⁾	Depth 40	Depth 50 ⁽¹⁾	
1-gang	800 41	800 51	801 41	801 51	801 01	801 21	819 41
2-gang	800 42	800 52	801 42	2 x 801 51	801 02		819 42
3-gang	800 43	800 53	801 43	3 x 801 51	801 03		3 x 819 41
4-gang	800 44	800 54	801 44	4 x 801 51			4 x 819 41

(1) Recommended for electronic functions.

Céliane™ programme

special plates and universal supports

	1-module plate	4/5-module plate	6/8-module plate	Special plate
Plates and supports: Horizontal or vertical mounting				

FUNCTIONS								
	2-way switch	670 01	Dimmer, 1000 W	670 86	Compact prewired quadruple 2P+E socket	671 25	Scenario controller ⁽¹⁾	672 84
	Pushbutton	670 31	Lighting environment controller	672 09			Video door entry system ⁽¹⁾	675 45
			Wi-Fi access points	673 64/65/66			Indoor siren ⁽¹⁾	675 09
			Copper switch	673 61				
			Programmable thermostats	674 02/42/52				
			Pilot wire programmer	674 12				
			Programmable selector switch	674 49				
			Audio door entry system	675 47				
			Alarm keypad	675 01				
			Shaver socket	671 59				
		5 compact controls	5 x 670 01/31					

NEUTRAL

White		686 30 + 802 50	686 35 + 802 52	686 36 + 802 53	686 37
Sand			687 55 + 802 52	687 56 + 802 53	
Taupe			687 35 + 802 52	687 36 + 802 53	
Cement			687 45 + 802 52	687 46 + 802 53	
Khaki			686 45 + 802 52	686 46 + 802 53	

FROSTED

Coconut			688 95 + 802 52	688 96 + 802 53	
Mirabelle			688 55 + 802 52		
Grapefruit			688 65 + 802 52		
Lavender			688 85 + 802 52		
Anise			688 75 + 802 52		



GLAZED

Ice			688 05 + 802 52	688 06 + 802 53	
Mandarin			688 45 + 802 52		
Magenta			688 15 + 802 52		
Cyan			688 35 + 802 52		
Bamboo			688 25 + 802 52		

(1) Mechanisms supplied with support.

Céliane™ programme

special plates and universal supports (continued)

Plates and supports: Horizontal or vertical mounting	1-module plate	4/5-module plate	6/8-module plate	Special plate
				
ANODISED				
Aluminium		689 25 + 802 52	689 26 + 802 53	
Titanium		689 00 + 802 50	689 05 + 802 52	689 07
Mica		689 45 + 802 52		
Copper		689 15 + 802 52		
Cobalt		689 55 + 802 52		
Graphite		689 35 + 802 52	689 36 + 802 53	
MATERIALS				
Brushed stainless steel		691 05 + 805 52	691 06 + 802 53	691 07
Nickel velvet		691 15 + 802 52		691 17
Oxidised copper		692 75 + 805 52		
Oxidised iron		692 65 + 805 52		
Corian Antarctica ⁽²⁾		691 65 + 802 52		691 67
Corian Nocturne ⁽²⁾		691 55 + 802 52		691 57
Corian Pompeii Red ⁽²⁾		691 85 + 802 52		
Maple		692 15 + 805 52		692 17
Mahogany		692 25 + 805 52		692 27
Wenge coloured ⁽¹⁾		692 05 + 802 52		692 07
Porcelain ⁽³⁾		693 25 + 805 52		693 27
Kaolin glass		693 15 + 805 52		693 17
Titanium glass		693 45 + 805 52		693 47
Camel leather		692 85 + 805 52		
Wine-coloured leather		692 95 + 805 52		

(1) Wenge coloured ash

(2) Registered trade mark of Dupont de Nemours

(3) Made by Bernardaud, worldwide famous Limoges porcelain manufacturer



EXB07012